



**No. 436.1 Series 0-6"**

**No. 436 Series 6-24"**

**No. 436.1M Series  
0-150mm**

**No. 436M Series  
150-600mm**

These are the most popular precision micrometers used by skilled workmen worldwide. They are accurate, rugged, and easy to use.

The 0-6" sizes and 0-150mm sizes have rugged spindles and anvils sized at .250" (6.35mm) diameter.

No other micrometer manufacturer can match the breadth and depth of the Starrett product line. We also stand willing and able to meet special requirements upon request.

**Readability**

- ◆ Starrett satin chrome finish – no glare – resists rust
- ◆ Advanced sleeve design with staggered lines and distinct figures for precise and easy readability

**Ease-of-Handling**

- ◆ Balanced frame and thimble design insure easy handling
- ◆ Ring-type knurled lock nut for quick and sure locking
- ◆ Smooth friction thimble for uniform pressure, the combination ratchet and speeder for uniform pressure and quicker adjustment, or a plain micrometer that depends on your own "feel"
- ◆ Gracefully designed tapered frame for use in narrow slots and tight places

**Accuracy and Long-Life**

- ◆ Rigid steel frame ribbed for extra strength on sizes through 6" (150mm)
- ◆ Extremely hard and stable one-piece spindle (the heart of our accuracy)
- ◆ Micro-lapped measuring faces
- ◆ Quick and easy adjustment
- ◆ Starrett workmanship



Shown above, top, No. 436.1MRL-50 millimeter model; bottom, inch model No. 436.1FL-1.

**0-1" range**

Catalog No.	EDP No.	Graduation	Description
<b>436.1P-1</b>	67990	.001"	Plain
<b>436.1XP-1</b>	67991		Plain, Carbide Faces
<b>436.1RL-1</b>	67993		Ratchet Stop, Lock Nut
<b>436.1XRL-1</b> <b>436.1XRL-1 W/SLC</b>	67994 67995		Ratchet Stop, Lock Nut, Carbide Faces Ratchet Stop, Lock Nut, Carbide Faces, Standard Letter of Certification*
<b>436.1FL-1</b>	67996	.0001"	Friction Thimble, Lock Nut
<b>T436.1XP-1</b>	67992		Plain, Carbide Faces
<b>T436.1XRL-1</b> <b>T436.1XRL-1 W/SLC</b>	67997 67998		Ratchet Stop, Lock Nut, Carbide Faces Ratchet Stop, Lock Nut, Carbide Faces, Standard Letter of Certification*
<b>T436.1XFL-1</b> <b>T436.1XFL-1 W/SLC</b>	67999 68000		Friction Thimble, Lock Nut, Carbide Faces Friction Thimble, Lock Nut, Carbide Faces, Standard Letter of Certification*

\* Includes redemption card for Standard Letter of Certification (SLC).

- ◆ **1-6" and 25-150mm models** sent in fitted plastic case. Deluxe padded case for 1" and 25mm sizes available by ordering No. 910.
- ◆ **7" and 175mm up to 12" and 300mm models** sent without case, packed one each to a box. See individual listings on following pages to order cases only.
- ◆ **13" and 325mm up to 24" and 600mm models** furnished in attractive, protective case.
- ◆ **Also, see detailed case information within the following pages.**


**No. 436.1 Series 1-6"**
**1-2" range**
**2-3" range**

Catalog No.	EDP No.	Catalog No.	EDP No.	Graduation	Description
436.1P-2	68001	436.1P-3	68009	.001"	Plain
436.1RL-2	68002	436.1RL-3	68010		Ratchet Stop, Lock Nut
436.1XRL-2	68003	436.1XRL-3	68011		Ratchet Stop, Lock Nut, Carbide Faces
436.1FL-2	68004	436.1FL-3	68012	.0001"	Friction Thimble, Lock Nut
T436.1XRL-2	68005	T436.1XRL-3	68013		Ratchet Stop, Lock Nut, Carbide Faces
T436.1XRL-2 W/SLC	68006	T436.1XRL-3 W/SLC	68014		Ratchet Stop, Lock Nut, Carbide Faces, Standard Letter of Certification*
T436.1XFL-2	68007	T436.1XFL-3	68015		Friction Thimble, Lock Nut, Carbide Faces
T436.1XFL-2 W/SLC	68008	T436.1XFL-3 W/SLC	68016		Friction Thimble, Lock Nut, Carbide Faces, Standard Letter of Certification*
234B-1	51017	234B-2	51019		1" Standard for 2" Micrometers 2" Standard for 3" Micrometers

**CASES**

913	55400	922	55222		Case for 2" Micrometer Case for 3" Micrometer
-----	-------	-----	-------	--	--

**3-4" range**
**4-5" range**

436.1RL-4	68017	436.1RL-5	68023	.001"	Ratchet Stop, Lock Nut
436.1XRL-4	68018	436.1XRL-5	68024		Ratchet Stop, Lock Nut, Carbide Faces
T436.1XRL-4	68019	T436.1XRL-5	68025	.0001"	Ratchet Stop, Lock Nut, Carbide Faces
T436.1XRL-4 W/SLC	68020	T436.1XRL-5 W/SLC	68026		Ratchet Stop, Lock Nut, Carbide Faces, Standard Letter of Certification*
T436.1XFL-4	68021	T436.1XFL-5	68027		Friction Thimble, Lock Nut, Carbide Faces
T436.1XFL-4 W/SLC	68022	T436.1XFL-5 W/SLC	68028		Friction Thimble, Lock Nut, Carbide Faces, Standard Letter of Certification*
234B-3	51021	234B-4	51023		3" Standard for 4" Micrometers 4" Standard for 5" Micrometers

**CASES**

952	55223	953	55224		Case for 4" Micrometer Case for 5" Micrometer
-----	-------	-----	-------	--	--

**5-6" range**

436.1RL-6	68029	.001"	Ratchet Stop, Lock Nut
436.1XRL-6	68030		Ratchet Stop, Lock Nut, Carbide Faces
T436.1XRL-6	68031	.0001"	Ratchet Stop, Lock Nut, Carbide Faces
T436.1XRL-6 W/SLC	68032		Ratchet Stop, Lock Nut, Carbide Faces, Standard Letter of Certification*
T436.1XFL-6	68033		Friction Thimble, Lock Nut, Carbide Faces
T436.1XFL-6 W/SLC	68034		Friction Thimble, Lock Nut, Carbide Faces, Standard Letter of Certification*
234B-5	51025		5" Standard for 6" Micrometers

**CASE**

954	55225		Case for 6" Micrometer
-----	-------	--	------------------------

\* Includes redemption card for Standard Letter of Certification (SLC).

**NOTE:** 1-6" models sent in fitted plastic case.



**No. 436 Series 6-24"**

**No. 436.1M Series**

0-150mm


**No. 436M Series**

150-600mm

These micrometers have the same balanced design as the smaller sizes but proportioned to these larger sizes. They have .300" (7.6mm) anvil and spindle diameters for ease of use on larger work.

These sizes have all the features of the 0-6" and 0-150mm ranges No. 436.1 Series Micrometers, except:

- ◆ The larger sizes are furnished with the combination ratchet and speeder for uniform pressure and quicker adjustment
- ◆ Rigid and stable special cast iron frame with perforations for lightness and ribbed for strength and stability



Model No. 436RL-18.

**6-7" range**

**7-8" range**

Catalog No.	EDP No.	Catalog No.	EDP No.	Graduation	Description
<b>436RL-7</b>	51684	<b>436RL-8</b>	51712	.001"	Ratchet Stop, Lock Nut
<b>436XRL-7</b>	51698	<b>436XRL-8</b>	51726		Ratchet Stop, Lock Nut, Carbide Faces
<b>T436XRL-7</b>	51702	<b>T436XRL-8</b>	51730	.0001"	Ratchet Stop, Lock Nut, Carbide Faces
<b>234B-6</b>	51027	<b>234B-7</b>	51029		6" Standard for 7" Micrometers
					7" Standard for 8" Micrometers

**CASES**

<b>930</b>	55276	<b>931</b>	55277		Case for 7" Micrometers Case for 8" Micrometers
------------	-------	------------	-------	--	--

**8-9" range**

**9-10" range**

<b>436RL-9</b>	51740	<b>436RL-10</b>	51768	.001"	Ratchet Stop, Lock Nut
<b>436XRL-9</b>	51754	<b>436XRL-10</b>	51782		Ratchet Stop, Lock Nut, Carbide Faces
<b>T436XRL-9</b>	51758	<b>T436XRL-10</b>	51786	.0001"	Ratchet Stop, Lock Nut, Carbide Faces
<b>234B-8</b>	51031	<b>234B-9</b>	51033		8" Standard for 9" Micrometers
					9" Standard for 10" Micrometers

**CASES**

<b>932</b>	55278	<b>933</b>	55279		Case for 9" Micrometers Case for 10" Micrometers
------------	-------	------------	-------	--	---

**NOTE:** 7-12" models sent without case, packed one each to a box. See individual micrometer listing for case information.


**No. 436 Series 10-24"**
**10-11" range**
**11-12" range**

Catalog No.	EDP No.	Catalog No.	EDP No.	Graduation	Description
436RL-11	51796	436RL-12	51824	.001"	Ratchet Stop, Lock Nut
436XRL-11	51810	436XRL-12	51838		Ratchet Stop, Lock Nut, Carbide Faces
T436XRL-11	51814	T436XRL-12	51842	.0001"	Ratchet Stop, Lock Nut, Carbide Faces
234B-10	51035	234B-11	51037		10" Standard for 11" Micrometers
					11" Standard for 12" Micrometers

**CASES**

934	55280	935	55281		Case for 11" Micrometers Case for 12" Micrometers
-----	-------	-----	-------	--	--

**12-13" range**
**13-14" range**

436XRLZ-13	51871	436XRLZ-14	51872	.001"	Ratchet Stop, Lock Nut, Carbide Faces, with Case
234B-12	51039	234A-13	50993		12" Standard for 13" Micrometers
					13" Standard for 14" Micrometers

**14-15" range**
**15-16" range**

436XRLZ-15	51873	436XRLZ-16	51874	.001"	Ratchet Stop, Lock Nut, Carbide Faces, with Case
234A-14	50995	234A-15	50997		14" Standard for 15" Micrometers
					15" Standard for 16" Micrometers

**16-17" range**
**17-18" range**

436XRLZ-17	51875	436XRLZ-18	51876	.001"	Ratchet Stop, Lock Nut, Carbide Faces, with Case
234A-16	50999	234A-17	51001		16" Standard for 17" Micrometers
					17" Standard for 18" Micrometers

**18-19" range**
**19-20" range**

436XRLZ-19	51877	436XRLZ-20	51878	.001"	Ratchet Stop, Lock Nut, Carbide Faces, with Case
234A-18	51003	234A-19	51005		18" Standard for 19" Micrometers
					19" Standard for 20" Micrometers

**20-21" range**
**21-22" range**

436XRLZ-21	51879	436XRLZ-22	51880	.001"	Ratchet Stop, Lock Nut, Carbide Faces, with Case
234A-20	51007	234A-21	51009		20" Standard for 21" Micrometers
					21" Standard for 22" Micrometers

**22-23" range**
**23-24" range**

436XRLZ-23	51881	436XRLZ-24	51882	.001"	Ratchet Stop, Lock Nut, Carbide Faces, with Case
234A-22	51011	234A-23	51013		22" Standard for 23" Micrometers
					23" Standard for 24" Micrometers

**NOTE:** 13-24" models are furnished in a case at no extra charge.



**No. 436.1M Series 0-150mm**

**No. 436M Series 150-250mm**

NOTE: All products made in the U.S.A.  except where noted as Global. 

**0-25mm range 25-50mm range**

Catalog No.	EDP No.	Catalog No.	EDP	Graduation	Description
436.1MP-25	68047			0.01mm	Plain
436.1MRL-25	68048	436.1MRL-50	68052		Ratchet Stop, Lock Nut
436.1MXRL-25	68049	436.1MXRL-50	68053		Ratchet Stop, Lock Nut, Carbide Faces
436.1MXFL-25	68050			0.001mm	Friction Thimble, Lock Nut, Carbide Faces
V436.1MXRL-25	68051	V436.1MXRL-50	68054		Ratchet Stop, Lock Nut, Carbide Faces
		234MB-25	51018		25mm Standard for 50mm Micrometers

**CASE**

		913	55400		Case for 50mm Micrometers
--	--	-----	-------	--	---------------------------

**50-75mm range 75-100mm range**

436.1MRL-75	68055	436.1MRL-100	68058	0.01mm	Ratchet Stop, Lock Nut
436.1MXRL-75	68056	436.1MXRL-100	68059		Ratchet Stop, Lock Nut, Carbide Faces
V436.1MXRL-75	68057	V436.1MXRL-100	68060	0.001mm	Ratchet Stop, Lock Nut, Carbide Faces
234MB-50	51020	234MB-75	51022		50mm Standard for 75mm Micrometers 75mm Standard for 100mm Micrometers

**CASES**

922	55222	952	55223		Case for 75mm Micrometers Case for 100mm Micrometers
-----	-------	-----	-------	--	---

**100-125mm range 125-150mm range**

436.1MRL-125	68061	436.1MRL-150	68064	0.01mm	Ratchet Stop, Lock Nut
436.1MXRL-125	68062	436.1MXRL-150	68065		Ratchet Stop, Lock Nut, Carbide Faces
V436.1MXRL-125	68063	V436.1MXRL-150	68066	0.001mm	Ratchet Stop, Lock Nut, Carbide Faces
234MB-100	51024	234MB-125	51026		100mm Standard for 125mm Micrometers 125mm Standard for 150mm Micrometers

**CASES**

953	55224	954	55225		Case for 125mm Micrometers Case for 150mm Micrometers
-----	-------	-----	-------	--	--

**150-175mm range 175-200mm range**

436MXRL-175	51706	436MXRL-200	51734	0.01mm	Ratchet Stop, Lock Nut, Carbide Faces
234MB-150	51028	234MB-175	51030		150mm Standard for 175mm Micrometers 175mm Standard for 200mm Micrometers

**CASES**

930	55276	931	55277		Case for 175mm Micrometers Case for 200mm Micrometers
-----	-------	-----	-------	--	--

**200-225mm range 225-250mm range**

436MXRL-225	51762	436MXRL-250	51790	0.01mm	Ratchet Stop, Lock Nut, Carbide Faces
234MB-200	51032	234MB-225	51034		200mm Standard for 225mm Micrometers 225mm Standard for 250mm Micrometers

**CASES**

932	55278	933	55279		Case for 225mm Micrometers Case for 250mm Micrometers
-----	-------	-----	-------	--	--

NOTES: 25-150mm models sent in fitted plastic case. 175-300mm models sent without case, packed one each to a box. See individual micrometer listing for case information.


**No. 436M Series 250-600mm**
**250-275mm range**
**275-300mm range**

Catalog No.	EDP No.	Catalog No.	EDP No.	Graduation	Description
<b>436MXRL-275</b>	51818	<b>436MXRL-300</b>	51846	0.01mm	Ratchet Stop, Lock Nut, Carbide Faces
<b>234MB-250</b>	51036	<b>234MB-275</b>	51038		250mm Standard for 275mm Micrometers 275mm Standard for 300mm Micrometers

**CASES**

<b>934</b>	55280	<b>935</b>	55281		Case for 275mm Micrometers Case for 300mm Micrometers
------------	-------	------------	-------	--	--

**300-325mm range**
**325-350mm range**

<b>436MXRLZ-325</b>	64301	<b>436MXRLZ-350</b>	64302	0.01mm	Ratchet Stop, Lock Nut, Carbide Faces, with Case
<b>234MB-300</b>	51040	<b>234MA-325</b>	50994		300mm Standard for 325mm Micrometers 325mm Standard for 350mm Micrometers

**350-375mm range**
**375-400mm range**

<b>436MXRLZ-375</b>	64303	<b>436MXRLZ-400</b>	64304	0.01mm	Ratchet Stop, Lock Nut, Carbide Faces, with Case
<b>234MA-350</b>	50996	<b>234MA-375</b>	50998		350mm Standard for 375mm Micrometers 375mm Standard for 400mm Micrometers

**400-425mm range**
**425-450mm range**

<b>436MXRLZ-425</b>	64305	<b>436MXRLZ-450</b>	64306	0.01mm	Ratchet Stop, Lock Nut, Carbide Faces, with Case
<b>234MA-400</b>	51000	<b>234MA-425</b>	51002		400mm Standard for 425mm Micrometers 425mm Standard for 450mm Micrometers

**450-475mm range**
**475-500mm range**

<b>436MXRLZ-475</b>	64307	<b>436MXRLZ-500</b>	64308	0.01mm	Ratchet Stop, Lock Nut, Carbide Faces, with Case
<b>234MA-450</b>	51004	<b>234MA-475</b>	51006		450mm Standard for 475mm Micrometers 475mm Standard for 500mm Micrometers

**500-525mm range**
**525-550mm range**

<b>436MXRLZ-525</b>	64309	<b>436MXRLZ-550</b>	64310	0.01mm	Ratchet Stop, Lock Nut, Carbide Faces, with Case
<b>234MA-500</b>	51008	<b>234MA-525</b>	51010		500mm Standard for 525mm Micrometers 525mm Standard for 550mm Micrometers

**550-575mm range**
**575-600mm range**

<b>436MXRLZ-575</b>	64311	<b>436MXRLZ-600</b>	64312	0.01mm	Ratchet Stop, Lock Nut, Carbide Faces, with Case
<b>234MA-550</b>	51012	<b>234MA-575</b>	51014		550mm Standard for 575mm Micrometers 575mm Standard for 600mm Micrometers

**NOTE:** 325-600mm models are furnished in a case at no extra charge.